

# INDEX MAPS.

## T. 14 N. R. 14 E. 2<sup>nd</sup> Mer.

466	466	467				
467 6	472 5	4	3	2	1	
472	472					
467 7	471 8	9	10	11	12	
471	473					
468 18	471 17	16	15	14	13	
470	473					
468 19	470 20	21	22	23	24	
470	473					
468 30	470 29	28	27	26	25	
469	473					
469 31	469 32	33	34	35	36	
466						

## T. 15 N. R. 14 E. 2<sup>nd</sup> Mer.

477	477	477	478			
480 6	484 5	489 4	490 3	2	1	
484	489	490	490			
479 7	484 8	489 9	491 10	11	12	
483	486	488				
479 18	483 17	487 16	15	14	13	
482	487	487				
479 19	482 20	486 21	22	23	24	
482	486	486				
478 30	481 29	486 28	27	26	25	
481	486	485				
478 31	481 32	484 33	34	35	36	
476	476	476				

The figures on the lines refer to the page.

466

Township N. 14 North, of Range N. 14 East 2.<sup>d</sup> Mer. Indiana

ch. lks.

South Boundary

var 5.45'E

East On S. boundary of Sec. 31  
 27.70 a walnut 14 in. diam.  
 40.00 Set of. Sec. post, from which  
     a Beech 24 in. diam. bear N 68° W 31 lks. dist. of  
     a llo. 8 " " " N 71° E 17 " "  
 61.75 a Sugar 12 " "  
 69.00 Intersected the Old boundary line, Set post from which  
     a Sugar 8 in. diam. bear N 17° E 8 lks. dist.  
     a Poplar 36 " " " South 20 " "  
 Level good Beech land.

October 22.<sup>nd</sup> 1810.

North Boundary.

var. 5.45'E

East On S. boundary of Sec. 31, T15 N. R14 E.  
 0.50 a Brook 4 lks. wide Course S. E.  
 18.00 a llo. 10 " " " S. E.  
 30.00 a llo. 10 " " " N. E.  
 31.30 a Poplar 24 in. diam.  
 36.50 a Brook 10 lks. wide Course S. E.  
 37.50 a llo. 15 " " " South  
 40.00 Set of. Sec. post, from which  
     a Beech 16 in. diam. bear N 54° E 9 lks. dist. of  
     a Sugar 14 " " " S 70° W 19 " "  
 70.00 an Indian road  
 80.00 Set post Cor. to Sec. 31 & 32, from which  
     a Beech 20 in. diam. bear S 32° W 11 lks. dist. of  
     a llo. 16 " " " N 32° E 19 " "  
 First half good - last 1/2 poor Beech land

East On S. boundary of Sec. 32, T15 N. R14 E  
 8.00 a Spring Course S.  
 17.00 a Brook 3 lks. wide Course S.  
 19.14 a Poplar 48 in. diam.  
 40.00 Set of. Sec. post, from which  
     a Beech 18 in. diam. bear N 10° E 10 lks. dist. of

T14 N. R14 E. 2<sup>nd</sup> Mer. Indianach. 1<sup>st</sup> 1/2.

- a Sugar 14 in. diam. beam N35W 31 lbs. dist.  
 47.50 a Brook 10 lbs. wide Course S.  
 75.00 a Creek 150 lbs. " " South  
 80.00 Set post Cor. to Sec. 32 & 33, from which  
 a Cottonwood 16 in. diam. beam N33W 13 lbs. dist. of  
 a Hackberry 16 " " " N88E 66 " "  
 Good land timber Oak, Ash, Sugar &c

East On S. boundary of Sec. 33, T15 N. R14 E.

- 7.68 to a Buckeye 12 in. diam. in Old Indian boundary  
 line from which  
 a Hackberry 30 in. diam. beam N75W 9 lbs. dist. of  
 a Buckeye 16 " " " N23E 26 " "  
 The boundary appears to run N13E.

October 20<sup>th</sup> 1840

West Boundary.

var. 5.45' E.

South On E. boundary of Sec. 1, T14 N. R13 E.

- 7.00 a Brook 3 lbs. wide Course E.  
 25.00 a Dr. 3 " " " E.  
 40.00 Set q. Sec. post. from which  
 a Beech 12 in. diam. beam N88W 7 lbs. dist. of  
 a Poplar 14 " " " S42E 19 " "  
 57.50 a Brook 3 lbs. wide Course E.  
 58.00 a Beech 16 in. diam.  
 80.00 Set post Cor. to Sec. 1 of 12, from which  
 a Sugar 10 in. diam. beam N68W 27 lbs. dist. of  
 a Walnut 9 " " " N70E 28 " "  
 Good Beech land.

South On E. boundary of Sec. 12, T14 N. R13 E.

- 1.00 a Brook 20 lbs. wide Course S. E.  
 30.00 a Dr. 10 " " " East  
 40.00 Set q. Sec. post. from which  
 a Sugar 16 in. diam. beam S48W 55 lbs. dist. of  
 a Beech 16 " " " N15E 40 " "

T14N - R14E. 2<sup>nd</sup> Mer. Indianach. 2<sup>nd</sup> Mer.

- Land hilly, timber Beech, Sugar, Oak &c  
 69.00 a Creek 50 lks. wide Course East  
 71.00 a Sugar 15 in. diam.  
 80.00 Set post Cor. to Sec. 12 of 13, from which  
 a Beech 30 in. diam. bear S 73 E 24 lks. dist. of  
 a Dogwood 6 " " " N 52 W 30 " "  
 Part bottom of part hill land, timber Sugar, Oak & Beech
- 

South On E. boundary of Sec. 13, T14N, R13E.

- 8.00 a Brook 4 lks. wide Course East  
 40.00 Set of Sec. post, from which  
 a W. Oak 30 in. diam. bear N 32 E 13 lks. dist. of  
 an Ironwood 6 " " " N 84 W 12 " "  
 80.00 Set post Cor. to Sec. 13 of 24, from which  
 a Mulberry 12 in. diam. bear N 84 E 14 lks. dist. of  
 an Elm 18 " " " S 48 W 25 " "  
 Rich land, timber Oak, Hickory, Sugar &c.
- 

South On E. boundary of Sec. 24, T14N, R13E.

- 40.00 Set of Sec. post from which  
 a Beech 9 in. diam. bear N 12 W 8 lks. dist. of  
 an Ash 14 " " " S 2 E 27 " "  
 74.00 a Brook 10 lks. wide Course E.  
 74.60 a Walnut 24 in. diam.  
 80.00 Set post Cor. to Sec. 24 of 25, from which  
 a Beech 30 in. diam. bear S 42 E 5 lks. dist. of  
 a Sugar 6 " " " N 42 W 15 " "  
 First half level Oak land - last half hilly, timber  
 Oak, Hickory, Sugar &c.
- 

South On E. boundary of Sec. 25, T14N, R13E.

- 40.00 Set of Sec. post, from which  
 a Sugar 9 in. diam. bear S 45 W 9 lks. dist. of  
 a Beech 6 " " " N 5 E 23 " "  
 55.00 a Brook 8 lks. wide Course N.E.  
 65.00 a Poplar 48 in. diam.



T14 N. R14 E. 2<sup>d</sup>. Mer. Indiana  
ch<sup>d</sup>. lks.

80.00 Set post Cor. to Sec. 25 of 36, from which  
a Hickory 8 in. diam. bear N28W23 lks. dist. of  
a Beech 30 " " " N10W34 " "  
Good land timber Beech, Poplar, Oak &c.

South On E. boundary of Sec. 36, T14 N. R13 E.

35.00 a Brook 4 lks. wide Course East

40.00 Set of Sec. post, from which  
a Beech 14 in. diam. bear S89E13 lks. dist. of  
a Do. 30 " " " N10E22 " "

68.50 a Brook 3 lks. wide Course E.

80.00 Corner to Township 13 of 14 N. Ranges 13 of 14

East, Set post, from which

a Beech 18 in. diam. bear North 28 lks. dist. of  
a Do. 16 " " " N68E16 " "

Land level timber Beech

October 18th. 1810

Alexander Holmes

Deputy Surveyor

Subdivision

Jan. 29<sup>th</sup>. 1811

East Between Sec. 30 of 31

40.00 Set of Sec. post, from which  
a Beech 12 in. diam. bear N45W11 lks. dist. of  
a Sugar 9 " " " N45E12 " "  
Broken Beech land

80.00 Set post Corner to Sec. 29, 30, 31 & 32, from which

a Beech 16 in. diam. bear N60E45 lks. dist. of

a Do. 16 " " " N60W52 " "

Broken land timber Beech & Sugar

South Between Sec. 31 of 32

27.50 to Old Indian Boundary, Set stake from which

an Elm 8 in. diam. bear S36W24 lks. dist. of

a Hackberry 6 " " " N30E25 " "

Level bottom, timber Elm, Hackberry &c

14th R 14 E. 2<sup>d</sup>. Mer. Indiana

470

ch. lks  
North Between Sec. 29 & 30  
30.25 to the East fork of White Water 150 lks. wide Cr. E.  
40.00 Set q. Sec. post, from which  
a Sycamore 40 in. diam. bear South 19 lks. dist. &  
a Do. 30 " " " N 19 E 30 " "  
80.00 Set post Cor. to Sec. 19, 20, 29 & 30, from which  
at Blue Ash 6 in. diam. bear West 35 lks. dist. &  
a Hackberry 8 " " " East 7 " "  
Level rich bottom land the whole mile  
January 29<sup>th</sup> 1811

---

West Between Sec. 19 & 30  
27.50 East fork of White Water 150 lks. wide Course N 20 E.  
40.00 Set q. Sec. post, from which  
a Walnut 16 in. diam. bear S 67 W 15 lks. dist. &  
an Elm 16 " " " N 36 E 23 " "  
80.00 Intersected W. boundary at the Corner  
Land Broken, timber Elm, Walnut &c

---

North Between Sec. 19 & 20  
40.00 Set q. Sec. post, from which  
a Sugar 15 in. diam. bear N 13 W 22 lks. dist. &  
at Beech 5 " " " N 13 E 13 " "  
41.00 a Sugar 15 " " "  
80.00 Set post Cor. to Sec. 17, 18, 19 & 20, from which  
a Hickory 15 in. diam. bear N 41 W 37 lks. dist. &  
a Beech 15 " " " S 41 E 22 " "  
(Description of land &c. Omitted)

---

West Between Sec. 18 & 19 on Random  
40.00 Set q. Sec. post, temporarily  
50.00 East fork of White Water 150 lks. Course South  
80.10 intersected the W. boundary at the Corner  
Land broken timber Sugar, Beech &c

---

East Corrected between Sec. 18 & 19

T.H. & R.H. E. 2<sup>nd</sup>. Mer. IndianaCh<sup>y</sup>. lbs.

39.00 a Hackberry 15 in. diam.

40.05 Set of Sec. post at average dist. from which  
a Sugar 5 in. diam. bears N 21° W 11 lbs. dist. of  
a do. 12 " " " S 21° E 19 " "

80.10 to Sec. Corner

North Between Sec<sup>s</sup>. 17 & 1840.00 Set of Sec. post, from which  
a Sugar 15 in. diam. bears N 14° W 9 lbs. dist. of  
a do. 15 " " " S 14° E 20 " "80.00 Set post Cor. to Sec<sup>s</sup>. 7, 8, 17 & 18, from which  
a W. Walnut 36 in. diam. bears N 41° W 41 lbs. dist. of  
a Beech 15 " " " S 43° E 33 " "  
Level rich land, timber Beech, Sugar & PoplarWest On Rand<sup>m</sup>. between Sec<sup>s</sup>. 7 & 18

23.00 East fork of White Water 200 lbs. wide Cr. S.

40.00 Set limpy. of Sec. post

41.75 a Stream 50 lbs. wide Course South

80.00 Intersected N. boundary 20 lbs. N. of post  
Sand broken timber Oak &c.East Correlated between Sec<sup>s</sup>. 7 & 18

15.20 a W. Oak 18 in. diam.

40.00 Set of Sec. post at average dist. from which  
a W. Oak 15 in. diam. bears N 62° W 20 lbs. dist. of  
a Hackberry 15 " " " S 78° E 26 " "80.00 to Sec. Corner. January 30<sup>th</sup>. 1811North Between Sec<sup>s</sup>. 7 & 8

16.50 a W. Oak 15 in. diam.

30.00 East fork of White Water 200 lbs. wide Cr. S. W.

40.00 Set of Sec. post, from which  
a Hackberry 8 in. diam. bears N 19° W 21 lbs. dist. of  
a do. 8 " " " S 19° E 30 " "80.00 Set post Cor. to Sec<sup>s</sup>. 5, 6, 7 & 8, from which

472

T14 N. R14 E. 2<sup>d</sup>. Mer. Indiana

Ch. lks.

a Sugar 15 in. diam. bear S 20 W 29 lks. dist. of  
 a W. Oak 15 " " " North 31 " "  
 Level rich land, timber Sugar, Ash, Walnut &c.

West On Range between Sec. 6 & 7

40.00 Set temp. q. Sec. post

80.10 Intersected the W. boundary 20 lks. N. of post  
 Land level rich Beech & Poplar, underg<sup>g</sup>. Spruce

East Corrected between Sec. 6 & 7

40.00 a W. Oak 15 in. diam. marked for q. Sec. corner  
 at average distance on true line

80.10 to Sec. Corner.

North Between Sec. 5 & 6

29.50 a Stream 10 lks. wide runs East

30.00 a Beech 12 in. diam.

40.00 Set q. Sec. post, from which  
 a Buckeye 8 in. diam. bear S 33 E 10 lks. dist. of  
 a do. 8 " " " NW 22 " "  
 Level rich land, timber Ash, Sugar &c.

79.75 Intersected N. boundary 15 lks. East of the corner  
 Set post corner to Sec. 5 & 6, from which  
 a Beech 18 in. diam. bear S 60 W 22 lks. dist. of  
 a do. 12 " " " N 12 W 18 " "  
 Rich level Beech & Poplar land

East Between Sec. 5 & 8, T14 N. R14 E.

25.00 East fork of White Water 20 lks. Course S.

30.00 Same river 20 lks. wide Course W

40.00 Set q. Sec. post, from which

a W. Elm - in. diam. bear South 2 lks. dist. of  
 a Beech 3 " " " West 28 " "

44.00 to said river 150 lks. wide runs S.

70.21 Intersected the Old Indian boundary line Set  
 post Cor. to pac. Sec. 5 & 8, from which



473

T14 N. R14 E. 2<sup>d</sup> Mer. Indian  
Ch. Lk.

a Poplar 16 in. diam. bearing N46 E 38 lks. dist. of  
a Beech 9 " " " N69 W 41 " "  
Land level rich timber Poplar, Sugar &c.

East Between Secs. 8 & 17, T14 N. R14 E.

40.00 Set of Sec. post, from which  
a Beech 18 in. diam. bearing N63 E 8 lks. dist. of  
a Do. 8 " " " N63 W 27 " "

55.70 Intersected the Old Indian Boundary line  
Set Stake Cor. to frac. Sec. 8 of 17, from which  
a Beech 36 in. diam. bearing N23 W 21 lks. dist. of  
a Gum 24 " " " N23 E 9 " "  
Land level rich timber Beech, Poplar, and  
Sugartree

East Between Secs. 17 & 20

38.00 Intersected the Old Indian boundary line  
Set post frac. Cor. to Sec. 17 of 20, from which  
a Sugar 8 in. diam. bearing S56 E 7 lks. dist. of  
a Do. 4 " " " N56 W 18 " "  
Level rich Beech & Poplar land

East Between Secs. 20 & 29

22.10 Intersected the Old Indian boundary line  
at a Hackberry 12 in. diam. which is marked  
for the corner to frac. Sec. 20 of 29  
Level rich Poplar & Sugar land

East Between Secs. 29 & 32, T14 N. R14 E.

5.50 Intersected the Old Indian boundary line  
Set post Cor. to frac. Sec. 29 of 32, from which  
a Blue Ash 16 in. diam. bearing S28 W 19 lks. dist. of  
a Sugar 18 " " " N10 E 79 " "  
Rich Bottom land timber Blue Ash, Sugar &c.

January 31<sup>st</sup> 1841

Emmanuel Vantree, Deputy Sur.



T4N-R14E. 2<sup>d</sup> Mer. Indiana

474

I Certify that the foregoing transcript of field notes of Township N. 14 North, of Range N. 14 E. 2<sup>d</sup> Principal Meridian, Indiana, has been compared with the original notes in this Office and found to be correct.

Surveyor General's Office  
Detroit, July 22<sup>d</sup> 1875

Lucius Lyon,  
Sur. Genl.